

safe · timeless · beautiful



Patio and Balcony Awnings

markilux 1200

The high quality awning in compact design

markilux 1200 stretch

The solution for narrow patios, courtyards and balconies

www.markilux.com





markilux 1200

The high quality awning in compact design



Face fixture



Top fixture



Folding arm with single steel-link chain



Attractive front profile with gutter



Easy pitch adjustment



Just typically markilux

Design and construction

The slight yet sturdy cassette enhances the appearance of the markilux 1200; robust folding arms ensure the cover stays taut. Suitable for fixture using all bracket types: face, top or eaves fixture.

Technical merits

All the arm joint connectors are made of drop-forged aluminium and are therefore extremely resilient. The strong steel-link chain lies protected from corrosion in the elbow joint of the arm. The entire mechanism will function reliably for a long time.

Dimensions

The markilux 1200 is available in a maximum width of 7 m. The maximum extension is 3.5 m.



Cover

All the fabrics from the current markilux collection in acrylic or sunsilk snc are available. A removable valance is supplied with the awning.

Operation

As standard manual operation by means of a stainless steel winding handle is offered. On request a hard-wired electric motor or a radio-controlled motor with remote control can be fitted.

Powder coating is standard in:

-  traffic white (RAL 9016)
-  metallic aluminium (RAL 9006)

-  grey brown (RAL 8019)

The technical limitations of the printing process mean that the colours depicted here may differ slightly from the original RAL colours. Other RAL colours are available on request.

Optional accessories:



Hard-wired motor
or motor with radio control.



Sun / wind sensor.
Automated weather controls.



Infra-red heater



Vibrabox
RTS sensor for dynamic wind loads.



Sunis
solar-powered sunlight sensor.

markilux 1200 stretch


Greater extension than width: the solution for narrow patios, courtyards and balconies.



Side view, retracted, face fixture



One arm is fitted to a lower section of torque bar



Arms cross above one another during retraction



Arm fixture to the front profile




Arm fixture to the torque bar

safe · timeless · beautiful



7609041 07/08 · We reserve the right to make alterations without giving prior notice.

markilux awnings are quality products from  schmitz

www.markilux.com

